

Fujitsu recommends Windows.

Data Sheet

FUJITSU LIFEBOOK P702

Notebook

Ultra-Mobile Performance to Go

If you need a versatile and lightweight notebook for your everyday business tasks, the Fujitsu LIFEBOOK P702 should be your first choice. Its small form factor, 30.7 cm (12.1-inch) display and long battery runtime ensure enhanced mobile productivity. The ShockSensor protects your hard disk drive against physical impacts while its robust magnesium lid and various security features guarantee that the notebook is secure both on the move and in the office.

Full performance mobility

Maximum productivity even for the most demanding applications thanks to state-of-the-art technology.

- 3rd generation Intel® Core™i3 or Core™i5 processor with Intel® HM76 chipset

Maximum security

Protect your company data against unauthorized third-party access.

- Advanced Theft Protection (Intel® Anti Theft & Computrace®), integrated SmartCard slot, optional fingerprint sensor, TPM module and OmniPass Security Software

Reliable companion

Secure and effective working even for the most demanding of users in all situations

- Robust and lightweight magnesium lid, ShockSensor, long battery runtime, spill-resistant keyboard
- Optional 0-Watt AC Adapter guarantees that the notebook does not consume electricity when switched off

Ergonomic working

Enhance your user experience with clever ergonomic features.

- ScrollWheel, optional HD webcam, small form factor
- Anytime USB Charge to charge phones/media devices even when the system is turned off

Ultimate connectivity

Stay connected wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby.

- Optional embedded 3G/UMTS or 4G/LTE, WLAN
- Bluetooth® and integrated DisplayPort



Components

Processor	Intel® Core™ i5-3230M processor (2.6 GHz, up to 3.2 GHz, 3 MB) *
	Intel® Core™ i3-3120M processor (2.5 GHz, 3 MB) *
	Intel® Core™ i5-3340M processor (2.7 GHz, up to 3.4 GHz, 3 MB)
	Intel® Core™ i5-3320M processor (2.6 GHz, up to 3.2 GHz, 3 MB)
	*Processor only for retail, SMB, education and government Intel® Core™ i5 processor
Operating systems	
Operating system	Windows 8 Pro 64-bit
	Windows 8 64-bit
	Windows 7 Professional 64-bit
	Windows 7 Home Premium 64-bit
	Windows 7 Home Basic 64-bit (EM)
Operating system compatible	Windows® XP 32-bit Windows 8 32-bit
Operating system notes	Limited Windows® XP support. Microsoft discontinued Windows® XP certification on system level, basic drivers via http://support.ts.fujitsu.com
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1,600 MHz, PC3-12800, SO DIMM
	4 GB (1 module(s) 4 GB) DDR3, 1,600 MHz, PC3-12800, SO DIMM
	8 GB (1 module(s) 8 GB) DDR3, 1,600 MHz, PC3-12800, SO DIMM
Hard disk drives (internal)	SSD SATA III FDE, 128 GB, 2.5-inch
	SSD SATA III, 256 GB, 2.5-inch
	SSD SATA III, 128 GB, 2.5-inch
	SATA, 7,200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.
	SATA, 7,200 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
	SATA, 5,400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
	FDE, 5,400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Hard disk notes	ShockSensor for HDD shock protection
	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.
	Accessible capacity may vary, also depending on used software.
	Up to 20 GB of HDD space is reserved for system recovery Internal HDD interface: S-ATA III (6GBit/s)
Interface add on cards/components (optional)	
3G/4G (optional)	Sierra Wireless Gobi 3000 (Downlink speed 14.4 Mbit/s, Uplink speed 5.76 Mbit/s)
	LTE Sierra Wireless MC7710 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)
WLAN (optional)	Intel® Centrino® Wireless-N2200 b/g/n
	Intel® Centrino® 6205 802.11 a/b/g/n
Bluetooth	Bluetooth 4.0
Display	30.7 cm (12.1-inch), LED backlight, (WXGA), Anti-glare display, magnesium, 1,280 x 800 pixel, 300:1, 200 cd/m ²
Multimedia	
Camera	Optional: Built-in HD webcam or Full HD webcam (Microsoft® Lync™) (depending on configuration)

Base unit

Base unit	LIFEBOOK P702
------------------	---------------

General system information

Chipset	Intel® HM76
Memory slots	2 DIMM (DDR3)
Supported capacity RAM (min.)	2 GB
Supported capacity RAM (max.)	16 GB
Memory notes	DDR3 - 1,600 MHz
LAN	Built-in 10/100/1,000 MBit/s Intel® 82579 V
BIOS features	BIOS based on Phoenix SecureCore
Audio type	On board
Audio codec	Realtek ALC269
Audio features	Stereo speakers, 1x built-in microphone

Display	
Display notes	ISO 9241-307 - Pixel class II

Graphics

Base unit	LIFEBOOK P702
TFT resolution (DisplayPort)	up to 2,560 x 1,600
TFT resolution (VGA)	up to 1,920 x 1,200
TFT resolution (DVI on Port Replicator)	up to 1,920 x 1,200
TFT resolution (DisplayPort on Port Replicator)	up to 2,560 x 1,600
Graphics brand name	Intel® HD Graphics 4000 with 3rd generation Core i processors
Graphics features	3 Display Support with 3rd generation Core i processors (1x internal display, 1x Displayport with system, 1x Displayport with port replicator)
Graphics notes	Shared memory depending on main memory size and operating system

Interfaces

DC-in	1
Audio: line-out / headphone	1
Audio: line-in / microphone	1
Internal microphones	1 (digital)
USB 2.0 total	2
USB 3.0 total	1 (with Anytime USB Charge functionality)
VGA	1
DisplayPort	1 (V1.1a)
Ethernet (RJ-45)	1
Modem (RJ-11)	
Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 64GB)
Express card slots	1 (34 mm supported)
SmartCard slot	1
SIM card slot	1 (only for models with integrated 3G/UMTS or 4G/LTE module)

Port Replicator interfaces (optional)

DC-in	1 (19V)
Power on switch	1
USB 2.0 total	4
DisplayPort	1 (up to 2560 x 1600) (not usable in parallel with DVI) In case both are connected DisplayPort has higher priority.
VGA	1
DVI	1 (up to 1920 x 1200) (not usable in parallel with DisplayPort)
Ethernet (RJ-45)	1 (10/100/1000)
eSATA	1
Notes	Port replicator supports 0-Watt functionality. Display port is shared with DVI - exclusive usage

Keyboard and pointing devices

Spill-resistant keyboard (new layout)
 Number of keyboard keys: 83, Keyboard pitch: 18 mm, Keyboard stroke: 2.0 mm
 Multi-gesture touchpad with two mouse buttons and ergonomic ScrollWheel
 Optional: Fingerprint sensor
 Application buttons

Wireless technologies

Antennas 2 Dual band WLAN antennas, 2 UMTS/LTE antennas optional, 1 Bluetooth antenna optional

WLAN notes Import and usage according to country-specific regulations.

Power supply

AC Adapter 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, Slim and light AC-Adapter, 0.180 kg, 133x30x30 mm
 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, Standard AC-Adapter, 0.250 kg, 108x46x30 mm
 19 V / 100 W (5.27 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter, 0.250 kg, 148x56x32 mm
 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, Standard Adapter, 0.340 kg, 140x56x29 mm
 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 0-Watt AC Adapter technology, 0.340 kg, 140x56x28 mm

Notes 65W AC Adapter for usage with system/ 80W AC Adapter for usage with Port Replicator

1st battery options Li-Ion battery 6-cell, 6,700 mAh, 72 Wh
 Li-Ion battery 6-cell, 5,800 mAh, 63 Wh

Runtime 1st battery up to 13 h

Battery charging time ~160 min (63Wh) ~ 190 min (72Wh)

Battery notes Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity slightly decreases with every charging cycle and over the lifetime.

Power consumption

Power consumption note See white paper Energy Consumption

Link to Energy White Paper <http://docs.ts.fujitsu.com/dl.aspx?id=4516235c-6e4d-46cc-8533-1adfe46b4771>

Dimensions / Weight / Environmental

Dimensions (W x D x H) 283 x 215 x 25 (front) / 32 (rear) mm

Weight 1.48 kg

Weight notes Actual weight may vary depending on configuration

Operating ambient temperature 5 - 35 °C

Operating relative humidity 20 - 85 %

Compliance

Europe CE
CB

USA/Canada FCC (depending on configuration)

Global RoHS (Restriction of hazardous substances)
 WEEE (Waste electrical and electronic equipment)
 Microsoft Operating Systems (HCT / HCL entry / WHQL)
 ENERGY STAR® 5.0
 EPEAT® Gold (dedicated regions)

China CCC (depending on configuration)

Compliance link <http://globalsp.ts.fujitsu.com/sites/certificates>

Additional Software

Additional software (preinstalled)	Adobe® Reader® (pdf reader) Fujitsu LIFEBOOK Application Panel Fujitsu Display Manager ShockSensor Utility Power Saving Utility Fujitsu Plugfree Network (network management utility) EasyGuide online user documentation Win8: Microsoft Push Button Recovery (hard disk based recovery) Microsoft Office (buy license to activate the pre-installed Microsoft Office) Win7: Fujitsu Recovery (hard disk based recovery) McAfee Internet Security and Antivirus Software (60 days trial version)
Additional software (optional)	Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS)

Manageability

Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN)
Manageability software	DeskView Client DeskView Instant BIOS Management DeskView Integration for Symantec Management Platform
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management
Supported standards	WMI PXE BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/solutions/high-tech/solutions/workplace/manageability/feature-finder.html

Security

Physical Security	Kensington Lock support
System and BIOS Security	Advanced Theft Protection (Intel® Anti Theft & Computrace®) Optional: Trusted platform module (TPM 1.2)
User Security	Hard disk password Integrated SmartCard slot User and supervisor BIOS password Integrated fingerprint sensor including OmniPass software (optional)

Warranty

Standard Warranty	1 year (depending on country)
Service level	Collect & Return Service / Bring-in Service (for countries within region FTS CEMEA&I, for all other countries depending on local regulations)
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty
Maintenance and Support Services - the perfect extension	
Recommended Service	9x5, Response Time: Next Business Day
Spare Parts availability	5 years after end of product life
Service Weblink	http://www.fujitsu.com/fts/services/support

Recommended Accessories

Port Replicator

Flexibility, expandability, desktop replacement and investment protection are just a few benefits of Fujitsu docking options. It takes just a second to attach your notebook to the Port Replicator and get connected to your external display, keyboard and mouse. Your workplace is simple and tidy while you are instantly ready to work with your notebook.

Order Code:
S26391-F977-L100

LIFEBOOK Bundle (Port Replicator, AC Adapter, EU Cable Kit)

The combination of a Fujitsu Port Replicator and AC Adapter (with EU cable) is the perfect docking solution for your LIFEBOOK. Simplify your mobile life. In the office or at home it takes just a second to attach your notebook to the port replicator and get connected to your peripherals.

Order Code:
S26391-F977-L200

AC Adapter LIFEBOOK

Power your notebook at work, at home or on the road with a second power source. You can easily recharge your notebook everywhere. Depending on your notebook you can choose from various AC Adapters ranging from a slim stick type adapter to standard adapters, or even the innovative 0-Watt AC Adapter.

Order Code:
S26391-F886-L200

PocketSaver

The Fujitsu Kensington PocketSaver with its pocketable design and 1200mm retractable steel cable is the perfect anti-theft solution for when you are on the go. The patented T-bar lock mechanism and the tempered steel cable provide maximum security. The Fujitsu Kensington PocketSaver keeps your device protected wherever you roam.

Order Code:
S26391-F6045-L100

Privacy filter

Privacy filters help block the screen view from anyone viewing the computer from a side view. 3M's unique micro-louver privacy technology allows persons directly in front of the computer to see on-screen data clearly.

Order Code:
S26391-F6097-L312

Supreme Case

The Supreme Case protects notebooks with up to 15.6-inch screens and provides ample storage for power adapters, office supplies and documents. The high-quality leather used for this case is sure to impress with its strong, yet lightweight structure and rich, dark color. Customers will also be pleased to note the smooth interior design of the bag, as well as the robust metal clips which keep your notebook safe. The professional finish, elegant design and carrying comfort of this model make it the ideal business case.

Order Code:
S26391-F1192-L900

SOUNDSYSTEM DS P2100 Tube

Taking inspiration from a hi-fi sound bar, the Fujitsu SOUNDSYSTEM DS P2100 Tube presents you with living room design art pieces for acoustic enjoyment. Automatic amplifier adjustment ensures extremely low distortion, which will protect the hearing and avoid speaker damage. With new convenient volume control- Fade-in & Fade-out audio effect. The small & robust satellite speaker is decorated with a deluxe piano finish and the aluminum tube is adorned with a fine print of an exotic motif at its base.

Order Code:
S26391-F7128-L500

Mobile Bluetooth Communication Speaker

The Fujitsu Mobile Bluetooth Communication Speaker is the perfect audio accessory for your connected mobile life. It is smaller than a tennis ball so you can bring it everywhere and it can connect via Bluetooth so you don't have to worry about cords. An integrated microphone gives you on-the-fly conference call capabilities for all your Bluetooth enabled mobile devices.

Order Code:
S26391-F7128-L700

Soundsystem Tube 2100



This small yet powerful Fujitsu Soundsystem Tube 2100 complements and improves your system's audio experience through a high sound quality and an extraordinary, modern design. Its compact body takes up less of your desk space and consumes little energy, achieved by automatically shutting down after fifteen minutes of standby.

Order Code:
S26391-F7128-L710

More information

Fujitsu OPTIMIZATION Services

In addition to FUJITSU LIFEBOOK P702, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU LIFEBOOK P702, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

Fujitsu Technology Solutions
Website: www.fujitsu.com/fts
2014-09-26 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
Copyright © Fujitsu Technology Solutions